



THE BEAUTY OF SHAKE. THE STRENGTH OF LAMARITE.®

SHINGLES AND ACCESSORIES

 **LAMARITE® SHAKE**
COMPOSITE SHINGLES 



Shake shingles have forever been a favorite among homeowners, adding warmth and character with the rustic appearance they create. Unfortunately, high maintenance and safety concerns are also inherent to real wood—often making it impractical for those who seek its natural beauty.

Now Lamarite® Shake Composite Shingles make the look of shake practical for the first time ever. Made from innovative materials that are robust, fire resistant and enduring, Lamarite shingles create the beauty of real shake in a product that provides superior performance. Lamarite shingles offer incredible beauty, strength and affordability in a product that comes with a 50-year limited warranty* from TAMKO®.




MORE DISTINCTION.



*To obtain a copy of TAMKO's limited warranty, visit us online at tamko.com or call us at 1-800-641-4691.

Weathered Wood





Starter and Hip & Ridge Shingles

Lamarite® Shake Composite Shingles

Emulating the organic beauty of real wood with an authentic grain pattern, Lamarite® Shake Composite Shingles create lasting beauty to enhance the curb appeal of your home.

Colors & Exposures

Lamarite Shake Composite Shingles are available in Cedar, Weathered Wood and Dove Grey. And with 5-, 7- and 12-inch widths, you can achieve a truly unique look with uniform or offset exposure.

Lamarite Shake Hip & Ridge Shingles

Lamarite offers preformed hip & ridge shingles that help create a more authentic shake appearance. And to complement Lamarite Shake Shingles, they are available in Cedar, Weathered Wood and Dove Grey.

Lamarite Shake Starter Course Shingles

Providing a precise look and added convenience, factory-formed Lamarite starter course shingles are designed for accurate installation of Lamarite Shake Composite Shingles.

Dove Grey



MORE BEAUTY.

As with real shake, Lamarite Shake Composite Shingles will weather to a lighter shade after exposure to the environment, creating a natural, beautiful look.

Increased variation in color uniformity may occur to Lamarite shingles in the vicinity of exposed copper or other metals.


NOTE: REPRODUCTION OF THESE COLORS IS AS ACCURATE AS OUR PRINTING WILL PERMIT. TAMKO® RECOMMENDS VIEWING AN ACTUAL ROOF INSTALLATION PRIOR TO FINAL COLOR SELECTION FOR THE FULL IMPACT OF COLOR BLENDINGS AND PATTERNS.

U.S. PATENT NO. 7,475,516






Cedar
Uniform Exposure



Offset Exposure



Weathered Wood
Uniform Exposure



Offset Exposure



Dove Grey
Uniform Exposure



Offset Exposure



Robust Composite Material

Lamarite® Shake Composite Shingles provide the superior roofing performance you demand. They are made with a robust composite material and are UL listed for Class A fire resistance and UL standard 2218, Class 4 impact resistance.

TW Metal & Tile Underlayment

TW Metal & Tile Underlayment is well suited for application under roofs where prevention of water penetration is required. The underlayment meets ASTM D 1970 for nail sealability of self-adhered roofing underlayments, withstands high temperature conditions up to 250°F and helps provide Class A fire protection when used with Lamarite Shake Composite Shingles.

Moisture Guard Plus®

Moisture Guard Plus® provides an extra layer of waterproofing protection and features a nonskid surface for improved traction and safer application. It meets ASTM D 1970 for nail sealability of self-adhered roofing underlayments and helps provide Class A fire protection when used with Lamarite Shake Composite Shingles.

Cedar



MORE PERFORMANCE.





TW Metal & Tile Underlayment



Moisture Guard Plus®





BUILDING PRODUCTS FOR THE PROFESSIONAL

Since 1944, roofing contractors and homeowners have looked to TAMKO® for quality building products built to perform. In addition to Lamarite® Shake Composite Shingles, TAMKO offers a complete line of residential products, including Lamarite Slate Composite Shingles, MetalWorks® Steel Shingles, Heritage® laminated shingles and 3-tab asphalt shingles, waterproofing materials, ventilation products, asbestos-free cements and coatings, EverGrain® and Elements® Composite Decking and Railing and Tam-Rail® Railing. Each of these products delivers the assurance of TAMKO quality, performance and durability.

LAMARITE® SHAKE

COMPOSITE SHINGLES



P.O. Box 1404
Joplin, MO 64802
1-800-641-4691
tamko.com
lamarite.com

Cover photo shingle color is Weathered Wood, Uniform Exposure.

Information included in this brochure was current at the time of printing. To obtain a copy of the most current version of this brochure, visit us online at tamko.com or call us at 1-800-641-4691.

©2009 TAMKO Building Products, Inc.
TAMKO, Heritage, MetalWorks, Moisture Guard Plus and Tam-Rail are registered trademarks of TAMKO Building Products, Inc.
Lamarite, EverGrain and Elements are registered trademarks of Epoch Composite Products, Inc.

